

**MADE IN USA**

*Handy*



MOTORCYCLE LIFTS  
MOTORCYCLE & SHOP ACCESSORIES  
INDUSTRIAL & UTILITY LIFTS  
SHOP PRODUCTS  
TAILGATES  
TRUCK FUEL TANK & TOOLBOX

## TABLE OF CONTENTS



### LIFTS & ACCESSORIES

Standard 1000 & Accessories	2-3
S.A.M. 1000 & Accessories	4-5
S.A.M.2 1000 & Accessories	6-7
Sport Lift & Accessories	8-9
Hydraulic 1500 & Accessories	10-11
B.O.B. 1500 & Accessories	12-13
Gruntavore 1800	14-15
Scissor Jacks	16
Industrial 240 Lift	17
Multi-Lifts	18

### WORK SHOP EQUIPMENT

Lawn & Garden Tool Kit	19
Tool Tray	20
Auxiliary Fuel Tank	21
Anti-Fatigue Mats	22
Wrench Bench	23
Tear-Down Table	24
GC-30 Gas Caddy	25

### TRUCK PRODUCTS

Fuel & Tool	26-27
Louvered Tailgates	28

### HANDY JADEIM LIMITED WARRANTY

Handy Division of Jadeim, LLC, warrants to the original purchaser of this product, all parts to be free from defects in manufacture for a period of one (1) year from date of delivery. Notice of a defective part must be received in writing at Handy within one (1) year of purchase. All defective parts must be returned to Handy and which, upon our examination any parts which are defective in manufacture or workmanship, will be replaced or put in good operating condition. This warranty does not apply to damage resulting from accident, improper installation, repair, operation or maintenance, negligence or neglect. THE COST OF SUCH REPLACEMENT OR REPAIR SHALL BE EXCLUSIVE REMEDY FOR ANY BREACH OF ANY WARRANTY AND HANDY INDUSTRIES SHALL NOT BE LIABLE TO ANY PERSON FOR CONSEQUENTIAL DAMAGE, OR INJURY, OR COMMERCIAL LOSS RESULTING FROM ANY BREACH OF WARRANTY. HANDY MAKES NO WARRANTY OR MERCHANTABILITY, MAKES NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE AND MAKES NO OTHER WARRANTY EXPRESSED OR IMPLIED, INCLUDING IMPLIED WARRANTY ARISING FROM THE COURSE OR DEALING OR USAGE OF THE TRADE.

## Thanks for your interest in Handy Industries!

Handy Industries has been a well-known name in the motorcycle industry for nearly 50 years, manufacturing the best shop equipment and truck accessories in the business. Since 1964, Handy has built a brand based on quality and excellence. When it comes to your bike, we know that you only trust the best .

*So what sets us apart from every other company?  
We're so glad you asked!*

One of the biggest differences is the owners' commitment to working in the business, with a very hands-on approach. Our owners are involved with the day-to-day operations of the business and take pride in being a part of its success. They attend (and work!) several trade shows every year and enjoy getting to know the Handy customers. At Handy, you're not just a number in our database. We're committed to exceeding your expectations and creating a lifelong relationship.

Every inch of Handy products, down to the pieces you can't even see, are *Made in the USA*. Our products have been designed and engineered to assure that we can deliver on our promises. Not to mention, we have an unparalleled customer service team that beats any foreign or domestic competition. When you need to talk to someone, we're the voice on the other line, whether your lift is brand new or 50 years old!

Be sure to visit our website at [www.handyindustries.com](http://www.handyindustries.com), where you can get information on all of our products, as well as download installation instructions, or find a dealer in your area. Don't forget to 'like' us on Facebook to find out what we're up to!

*Sincerely,  
The Handy Team*



Owners Mike & Joel Jansen



# STANDARD 1000 LIFT

Handy products represent the highest standard of excellence in professional shops. Since 1964, Handy's sturdy design exceeds all others.



Handy's Standard Air and Electric Lifts have a lifting capacity of 1000 lbs. The 80" x 24" deck makes them ideal for working on motorcycles, ATVs, snowmobiles, garden tractors, etc. The convenient foot valve allows easy up/down with intermediate stops. Lifts are CE approved with option 16355 Covered Foot Pedal.

## SPECIFICATIONS

	AIR LIFT	ELECTRIC LIFT
Capacity	1000 lbs.	1000 lbs.
Length	80"	80"
Width	24"	24"
Max height	30"	30"
Min height	7"	7"
Work surface	80" x 24"	80" x 24"
Air/Power Source	90-110 psi	115V, 60 hz
Ramp length	20"	20"
Weight	304 lbs.	311 lbs.

STANDARD AIR & ELECTRIC LIFTS  
are available in these custom colors

- Red Table Top / Black Frame
- Orange Table Top / Black Frame
- Black Table Top / Black Frame

STANDARD 1000 AIR LIFT - ITEM 10740  
STANDARD 1000 ELECTRIC LIFT - ITEM 10742  
STANDARD 1000 AIR LIFT CE - ITEM 15679





CV-17 CYCLE VISE

**CV-17 CYCLE VISE 14476**  
Position your cycle upright. Vise opening 7½".  
W: 21" x L:15". Wt. 37 lbs.



12" SIDE EXTENSIONS

**12" SIDE EXTENSIONS 10728**  
Expands width of lift from 24" to 48" (2 ea.)  
Includes stabilizer & ramp extensions. Wt. 115 lbs.



13" FRONT EXTENSIONS

**13" FRONT EXTENSION 16011**  
Extends lift top to 93". W: 24½" x L: 24".  
Wt. 29 lbs.



13" REAR EXTENSIONS

**13" REAR EXTENSION 10736**  
Extends lift top to 93". W: 24½" x L: 24".  
Wt. 29 lbs.



SNOWMOBILE EXTENSIONS

**SNOWMOBILE WINGS 10737**  
Extended width is 56". Pipe included.  
W:16" x L: 18". Wt. 30 lbs.



LIFT DOLLY

**LIFT DOLLY 10732**  
Glide it around your shop easily.  
Wt. 15 lbs.



RAMP END EXTENSION

**RAMP END EXTENSIONS 15566**  
Extends lift ramp for loading lower bikes.  
L: 20" x W: 11-3/8" Wt. 10 lbs.



TOOL TRAY

**TOOL TRAY 16010**  
Keeps tools organized & handy.  
39¾" x 7" x 1¾". Wt. 20 lbs.



GUARDED FOOT PEDAL

**GUARDED FOOT PEDAL 16355**  
Covered Foot Pedal - CE approved. Wt. 20 lbs.



UNIVERSAL SCISSOR JACK

**UNIVERSAL SCISSOR JACK 13008**  
Use on lift or on floor. Wt. 43 lbs.

# S.A.M. 1000 LIFT

The S.A.M. 1000 Lift is for bike professionals who need a longer table top with the convenience of a drop-out panel.



Our S.A.M. 1000 provides additional benefits with all of the features of the Standard Lift included. The S.A.M. 1000 is designed to lift bikes up to 1000 lbs. The S.A.M. 1000 also has a convenient drop-out panel for making tire removal easy. It is also 4" longer than the Standard Lift to accommodate longer wheel bases. CE Approved with option 16355 Covered Foot Pedal.



## SPECIFICATIONS

	S.A.M. AIR	S.A.M. ELECTRIC
Capacity	1000 lbs.	1000 lbs.
Length	7 ft. (84")	7 ft. (84")
Width	24"	24"
Max height	30"	30"
Min height	7"	7"
Work surface	84" x 24"	84" x 24"
Air/Power	90-110 psi	115v, 60 hz
Ramp length	20"	20"
Weight	330 lb.	337 lb.

The S.A.M. 1000 Lift is available in these custom colors

- Red Table Top / Black Frame
- Orange Table Top / Black Frame
- Black Table Top / Black Frame

- S.A.M. 1000 AIR LIFT - ITEM 16000
- S.A.M. 1000 ELECTRIC LIFT - ITEM 16007
- S.A.M. 1000 AIR LIFT CE - ITEM 16005






Customize your S.A.M. 1000 with these attachments



CV-17 CYCLE VISE

CV-17 CYCLE VISE 14476  
Position your cycle upright. Vise opening 7½"  
W: 21" x L:15". Wt. 37 lbs.



12" SIDE EXTENSIONS

12" SIDE EXTENSIONS 16002  
Expands the width of lift from 24" to 48" (2 each)  
and includes stabilizer & ramp extensions.  
Wt. 125 lbs.



13" FRONT EXTENSIONS



13" REAR EXTENSIONS

13" FRONT EXTENSION 16011  
Extends lift top to 93". W: 24½" x L: 24"  
Wt. 29 lbs.



LIFT DOLLY

13" REAR EXTENSION 10736  
Extends lift top to 93". W: 24½" x L: 24"  
Wt. 29 lbs.

LIFT DOLLY 10732  
Glides lift around your shop easily.  
Wt. 15 lbs.



RAMP END EXTENSION

RAMP END EXTENSIONS 15566  
Extends lift ramp for loading lower bikes.  
L:20" x W:11-3/8" Wt. 10 lbs.



TOOL TRAY



GUARDED FOOT PEDAL

TOOL TRAY 16010  
Keeps tools organized & handy.  
39¾" x 7" x 1¾". Wt. 20 lbs.

GUARDED FOOT PEDAL 16355  
Covered Foot Pedal CE approved. Wt. 20 lbs.



UNIVERSAL SCISSOR JACK

UNIVERSAL SCISSOR JACK 13008  
Use on lift or on floor. Wt. 43 lbs.

# S.A.M.<sup>2</sup> 1000 LIFT



The S.A.M.<sup>2</sup> Lift is designed to lift bikes up to 1000 lbs. This lift was developed for bike professionals that needed a longer (93") and wider (28") work surface with the convenience of double drop panels (15" x 28") for easy maintenance. The S.A.M.<sup>2</sup> also has a maximum height of 35" and a longer ramp of 40" for lower built bikes.



Attach the CV-17 Cycle Vise to the front panel or position it back on the table for rear wheel maintenance.

The S.A.M.<sup>2</sup> 1000 Lift is available in these custom colors  
Red Table Top / Black Frame  
Orange Table Top / Black Frame  
Black Table Top / Black Frame



S.A.M.<sup>2</sup> 1000 AIR LIFT - ITEM 16900





**SPECIFICATIONS**

Capacity	1000 lbs.
Length	93"
Width	28"
Max height	35"
Min height	7½"
Work surface	93" x 28"
Air Source	90-110 psi
Ramp length	40"
2 Drop Leafs	15" x 28"

Easy access to the back or front!



Optional four piece 10" Side Extensions



**CV-17 CYCLE VISE 14476**  
Position your cycle upright  
Vise opening 7½"  
W: 21" x L:15". Wt. 37 lbs.



**10" SIDE EXTENSIONS 16901**  
Expand the width of the table  
to a full 48" with the four-piece  
10" Side Extensions. Ramp  
extensions are included.  
Wt. 212 lbs.



**GUARDED FOOT PEDAL 16355**  
Covered Foot Pedal -  
CE approved.  
Wt. 20 lbs.



**UNIVERSAL SCISSOR JACK 13008**  
Use on lift or on floor  
Wt. 43 lbs.

# SPORT LIFT



## INTRODUCING OUR NEWEST LIFT!

With the same superior workmanship as our other quality lifts, this Sport Lift was developed for the specialty market of lighter sport bikes, dirt bikes, street bikes and scooters and has a 750 lb. capacity.

It was designed with a 74" length and a 23" width top making it ideal for your home garage or shop. This lift does everything that our heavier lifts do except take up valuable work space.

This Sport Lift is perfect for routine maintenance, cleaning, detailing, and performing light to heavy-duty functions on your bike.

Included with this lift package is our CV-17 Cycle Vise.

The Sport Lift is also available  
in these custom colors

Red Table Top / Black Frame  
Orange Table Top / Black Frame  
Black Table Top / Black Frame



SPORT LIFT with CYCLE VISE KIT - ITEM 21000



Shown with  
CV-17 Cycle Vise

**SPECIFICATIONS**

Capacity	750 lbs.
Length	74"
Width	23"
Max Height	40"
Min Height	7½"
Work Surface	74" x 23"
Air Source	90 -110 psi
Ramp Length	30"
Weight	310 lbs.

The CV-17 Cycle Vise is included with this lift



**CV-17 CYCLE VISE 14476**  
Position your cycle upright  
Vise opening 7½"  
W: 21" x L:15". Wt. 37 lbs.



**OPTIONAL ACCESSORIES AVAILABLE**



**GUARDED FOOT PEDAL 16355**  
Covered Foot Pedal CE approved. Wt. 20 lbs.



**UNIVERSAL SCISSOR JACK 13008**  
Use on lift or on floor  
Wt. 43 lbs.

# HYDRAULIC 1500 LIFT



All the best features you've always wanted in your powersport lift can be found in our Hydraulic Lift.

The Handy Electric Hydraulic Lift raises 1500 lbs. up to 48"

This lift handles nearly every powersport project you can throw at it, with a lifting capacity of 1500 lbs. The self-storing rear drop-out panel is ideal for easy tire changing, and the 18" front drop down gives you easy access to your bike's front wheel and fork. This lift raises up to 48" and lowers to 7<sup>3</sup>/<sub>4</sub>" for easy loading. It has automated locking safety latch system with 10 safety stops letting you choose a comfortable working height. Additional features: pendant control, toe guard/tool tray and removable ramp.




The Hydraulic Lift is available in these custom colors  
Red Table Top / Black Frame  
Orange Table Top / Black Frame  
Black Table Top/ Black Frame

18" drop-down front panel for convenient motorcycle & wheel maintenance.



HYDRAULIC 1500 ELECTRIC LIFT - ITEM 20707



Self storing drop-out back panel for convenient rear wheel removal.

**SPECIFICATIONS**

Capacity	1500 lbs.
Length	86-5/8"
Width	29½"
Max Height	48"
Min Height	7¾"
Footprint	30¼" x 84" (114" w/ramp)
Weight	560 lbs.
Ramp Length	17½" x 36"
Tool Tray/Toe Guard	4¾" x 66"
Power single	1/2 h.p. 120v, 60 hz phase



**CV-17 CYCLE VISE 14476**  
Position your cycle upright. Vise opening 7½" W: 21" x L:15". Wt. 37 lbs.



**12" SIDE EXTENSIONS 20728**  
Expands the width of lift from 29-1/2" to 53" (2 each) and includes stabilizer & ramp extensions. Wt. 165 lbs.



**UNIVERSAL SCISSOR JACK 13008**  
Use on lift or on floor Wt. 43 lbs.

## B.O.B. 1500 LIFT



Shown equipped with optional  
Trike Kit and CV-17 Cycle Vise

B.O.B. 1500 AIR LIFT - ITEM 14472  
B.O.B. 1500 AIR LIFT CE - ITEM 16013

Our B.O.B. 1500 Lift is longer, wider  
and taller FOR YOUR **BIG JOBS!**

The B.O.B. 1500 Lift solves numerous challenges in today's professional workshop. The lift raises to 40" for taller mechanics, lifts 1500 pounds for the fully-dressed motorcycle, trikes, and quads, and has a drop-out for convenient tire changes.

The lift is a full 84" long and 28" wide. To further customize the B.O.B. 1500, you can add 12" Side Extensions, a 13" Front Extension, or a Trike Extension. It is CE approved with option 16355 Covered Foot Pedal.

The B.O.B. Lift is also available  
in these custom colors

Red Table Top / Black Frame  
Orange Table Top / Black Frame  
Black Table Top / Black Frame



**SPECIFICATIONS**

Capacity	1500 lbs.
Length	7 ft.
Width	28"
Max height	40"
Min height	10"
Work Surface	84"
Air Source	90-110 psi
Weight	560 lbs.
Ramp Length	31"



CV-17 CYCLE VISE

**CV-17 CYCLE VISE 14476**

Position your cycle upright Vise opening 7½"  
W: 21" x L:15". Wt. 37 lbs.

**13" FRONT EXTENSION 14474**

Extends lift top to 97".  
Wt. 42 lbs.



13" FRONT EXTENSIONS



12" SIDE EXTENSIONS

**12" SIDE EXTENSIONS 14473**

Ideal for garden tractors and ATVs, provides extra workspace, and expands width of lift from 28" to 52" (2 each). Includes stabilizer & ramp extensions.  
Wt. 180 lbs.

**TRIKE EXTENSIONS 14475**

Ramp and pipe support extensions included  
W: 52½" x L: 24" Wt. 136 lbs.



TRIKE EXTENSIONS



RAMP END EXTENSION

**LIFT DOLLY 10732**

Glides lift around your shop easily Wt. 15 lbs.

**RAMP END EXTENSIONS 15566**

Extends lift ramp for loading lower bikes  
L:20" x W:11-3/8" Wt. 10 lbs.



TOOL TRAY



GUARDED FOOT PEDAL

**TOOL TRAY 16010**

Keeps tools organized & handy.  
39¾" x 7" x 1¾". Wt. 20 lbs.

**GUARDED FOOT PEDAL 16355**

Covered Foot Pedal CE approved. Wt. 20 lbs.

**UNIVERSAL SCISSOR JACK 13008**

Use on lift or on floor Wt. 43 lbs.



UNIVERSAL SCISSOR JACK

# GRUNTAVORE 1800 LIFT



Whether you use your UTV for work or play, the massive Gruntavore 1800 Air Lift solves your maintenance challenges. The Gruntavore 1800 is a full 104" in length and 60" in width, making it ideal for all models of UTVs, ATVs, garden tractors, and lawn care equipment. It is constructed of heavy duty 11 gauge steel, weighs 950 lbs., and has a lifting capacity of 1800 lbs. The Gruntavore 1800 is topped off with a powder-coat finish.

GRUNTAVORE 1800 LIFT - ITEM 16867







**SPECIFICATIONS**

Capacity	1800 lbs.
Length	104"
Width	60"
Max Height	40"
Min Height	10"
Air Source	90 -110 psi
Ramp Length	31"
Weight	950 lbs.

The Gruntavore 1800 has a ramp length of 31", making it easy to drive on and position your vehicle.



# SCISSOR JACKS



UNIVERSAL  
SCISSOR  
JACK



LITTLE  
GRUNT



LO-BOY  
SCISSOR  
JACK

## UNIVERSAL SCISSOR JACK ITEM 13008

The Universal Scissor Jack is great to use either on our lifts or on the floor. It supports 750 lbs. and provides a safe and convenient way to work on your equipment. Supports and safety pin are included.

- Heavy gauge zinc-plated steel
- Minimum height 3½"
- Maximum height 15"
- 19" L x 6" W
- Safety stops with safety pin
- Adapters for various frame profiles
- Weight 43 lbs.

## LITTLE GRUNT ITEM 16868

A wider deck with a non-skid pad increases your lifting area for greater stability. Capacity is 1000 lbs., making the Little Grunt perfect for lifting ATVs and motorcycles.

- Minimum height 4½"
- Maximum height 20¼"
- 28" L x 13¼" W
- Heavy gauge steel
- Safety stops with safety pin

## LO-BOY SCISSOR JACK ITEM 16999

Increase the stability of your project with our Lo-Boy Scissor Jack. A wider deck and non-skid pad raises the front or rear of bikes and ATVs, safely lifting up to 750 lbs. The Lo-Boy works great with all Handy motorcycle lifts.

- Minimum height 3½"
- Maximum height 13"
- 16" L x 10" W
- Safety pin
- Weight 43 lbs.

This lift raises loads up to 700 lbs. and is portable or may be bolted to the floor.

The 240 Industrial Lift's work table provides a safe and efficient means for an operator to lift a product or component to a desired height for assembling, positioning, stacking, conveying, and feeding applications. The lift will increase labor efficiency, improve safety, and help eliminate bending, lifting, and excess fatigue caused by heavy or repetitive lifting.

Solid state controls are contained in one modular package. Extra heavy-duty power supply cord provides long service.



## SPECIFICATIONS

Capacity	700 lbs.
Length	48"
Width	24"
Max Height	42" w/wheels 37½" w/o wheels
Min Height	12" w/wheels 7½" w/o wheels
Speed-Up	27 sec.
Motor	1/3 hp. - 172 rpm
	115 Volts - 6.0 amps
Weight	560 lbs.

The 240 Industrial Lift has a table top dimension of 24" W x 48" L, which will raise loads of 700 lbs. to a height of 42" in 27 seconds. The table surface may be raised or lowered, with a convenient foot pedal, which leaves hands free to safely perform other tasks.



Lowers to 7½" w/o wheels  
12" w/wheels

- Heavy-duty 12 gauge steel construction
- Heavy-duty cam bearings
- Caster wheels - 2 rigid, 2 swivel
- Red epoxy powder-coat paint
- Portable or bolted to the floor

240 INDUSTRIAL LIFT - ITEM 10749

# MULTI-LIFTS

Save your back and be more productive  
with our Handy Multi-Lift



The Electric Multi-Lift has a 1/3 HP electric motor and raises up to 37½"



The Manual Multi-Lift has a brake winch operation that will not spin under load and raises up to 39".

Both Multi-Lift models can lift up to 300 lbs. and rotate 360°. With our design, you can tackle multiple repair projects such as push lawnmowers, appliances, small motors and garden equipment.

- Five positive rotational locking working positions
- 30"x 36" steel table with 12" center opening
- Includes nylon tie-down straps
- Adjustable wheel channel to avoid slippage
- Wt. 200 lbs.



Adjustable wheel channel



12" center opening



Lowers to 5" for easy loading

MANUAL MULTI-LIFT - ITEM 14691  
ELECTRIC MULTI-LIFT - ITEM 10738





The Handy Lawn and Garden Tool Kit provides a “third hand” for handling your lawn and garden equipment.



Mower motor attachment



Chain saw attachment



Weed cutting attachment



The Lawn & Garden Tool Kit simplifies ordinary equipment maintenance. Quickly change from one project to another by inserting the specific attachment into the universal stand and by tightening the knob.

The kit works with any Handy Lift, Handy Multi-Lift, and most work benches. Wt. 20 lbs.

LAWN & GARDEN TOOL KIT - ITEM 16386

## TOOL TRAY

Don't spend time searching  
for your tools!



Our Handy Tool tray is perfect for your shop or home use. The metal tray holder with polyethylene tray can easily attach to the sides or ends of the lift table and to any side extensions.

The underside of the metal tray holder, showing supports and clamps, is pictured at right.



- Black polyethylene compartmentalized tool tray with magnets
- 16 gauge steel tray holder
- 39 $\frac{3}{4}$ " L" x 7"W x 1 $\frac{3}{4}$ "D
- Wt. 20 lbs.



Fits all Handy lift models, except the S.A.M.<sup>2</sup> and Hydraulic Lift

TOOL TRAY - ITEM 16010



# AUXILIARY FUEL TANK



The Handy Auxiliary Fuel Tank is indispensable when working on your motorcycle. When your gas tank is off you can still start up.

This tank has a 2 liter capacity and a hose with on/off valve. Connect this to your motorcycle engine fuel line to allow fuel to flow into engine when doing repairs. Wt. 2 lbs.



Hang your Auxiliary Fuel Tank from this Deluxe Mechanic's Pole. Fast attach to the sides or ends of our Handy Lifts or your workbench. It can be adjusted to swivel or pivot for just the right height and angle. The Mechanics Pole can also be used for hanging trouble lights, cables and air hoses. Wt. 8 lbs.

Adjustable height base to hook  
lowest height 48"  
peak height 76"



Barb nozzle connection

AUXILIARY FUEL TANK - ITEM 16018  
DELUXE MECHANIC'S HANDY POLE - ITEM 16440

## ANTI-FATIGUE MATS

This Anti-Fatigue mat is made of a heavy-duty material that suffers no deterioration from weathering and ozone exposure and complies with the FMVSS-302 for self-extinguishing properties. These mats provide excellent durability when exposed to many organic and inorganic industrial chemicals.

This mat is ideal  
for your shop or  
workplace

These mats far exceed the competition with a closed cell polymeric sponge base that produces the soft and resilient rebound properties needed in a manufacturing or working environment.

The Anti-fatigue black diamond plate mats are available in two styles.

The **Heavy Duty Single Sponge** mat is 9/16" thick and is available in 2 different sizes, 2' x 7', and 3' x 5'.

The **Super Duty Double Sponge** mat is a full 1" thick and the dimensions are 3' x 5'.



Available Colors: Black

This product has the following options available

- 3' X 5' HEAVY DUTY SINGLE SPONGE MAT - ITEM 17501
- 2' X 7' HEAVY DUTY SINGLE SPONGE MAT - ITEM 17503
- 3' X 5' SUPER DUTY DOUBLE SPONGE MAT - ITEM 17502







Combine a good work surface with a drawer and ample storage space.

This Wrench Bench is adjustable for your height preference and provides a spacious 48" x 28" work area. It has a heavy-duty 24" x 18" x 5½" drawer so you can keep your valuable tools locked up and your workspace neat and clutter free.

The lower shelf is also adjustable to accommodate your extra tools and equipment.

This bench comes with lockable swivel casters, or it can be used without the casters as a stationary bench.

- Heavy duty 24" x 18" x 5½" locking drawer
- Adjustable working height of 32" to 42"
- Heavy duty 4" casters (2 rigid & 2 locking swivel)
- 14 gauge 48" x 28" table top
- Adjustable lower shelf
- Weight 150 lbs.

WRENCH BENCH RED & BLACK - ITEM 14443  
WRENCH BENCH ORANGE & BLACK - ITEM 14443 O

# TEAR-DOWN TABLE



The Tear-Down Table makes your work environment more efficient and comfortable

This steel workbench is great for the home or business. The 14 gauge top has a 3/4" rim to contain liquids and capture leaking fluids when working on hydraulic systems and transmissions. Fluids drain into the removable polyethylene drawer for easy dispensing.

The convenient, adjustable lower shelf organizes your tool storage. The drawer features a cylinder key locking system with full-extension ball bearing sliders to keep your valuables safe. Tough powder-coat finish resists rust, chips, and scratches.



## SPECIFICATIONS

- Heavy duty 24"L x 18"W x 5½"H locked drawer
- Adjustable working height of 37" to 41"
- Heavy duty 4" casters (2 rigid & 2 locking swivel)
- 14 gauge 48"L x 28"W tabletop with ¾" rim
- Removable 20" L x 12"W x 6"H polyethylene drawer
- Adjustable lower shelf
- Weight 180 lbs.



TEAR DOWN TABLE  
RED & BLACK - ITEM 11505

TEAR DOWN TABLE  
ORANGE & BLACK - ITEM 11505 O

Use in Motorcycle Shops, Workshops, Garages,  
Marinas, Farms and Campgrounds

**CADDY FEATURES:**

- Drain hole to remove water and contaminants
- Two inch filler neck for bulk filling
- Fuel level gauge
- 14 ga steel construction for durability
- Epoxy powder-coat
- 10" x 2.7" semi-pneumatic wheels

**SAFETY FEATURES:**

- Ground wire and clamp
- Firescreened vent and gauge
- Aluminum skids on front legs

**PUMPS**

Two pumps are available for your Gas Caddy. The bi-directional pump is for suction and dispensing. This pump is a corrosion resistant Tyton-Teflon material.

SELECT - 2 vane, 10-12 cranks per gallon

PROFESSIONAL - 3 vane, 8-10 cranks per gallon



These Ryton pumps are compatible with: Pump Gas, Diesel, E-85, Methanol Alcohol, Nitro Methane, Leaded & Non-Leaded Gasoline, Aviation Fuel, All Aftermarket Racing Fuels

**HOSE FEATURES:**

- 8' long clear yellow tinted gas hose (allows you to see your gas flow).
- 1" outside diameter hose (1" with 3/4" ID hose helps gas flow and keeps pump head pressure to a minimum for longer lasting pumps).
- 3/4" inside diameter hose.
- 3/4" - 8" aluminum nipple (to get into smaller tank openings).
- Quick clamp attached to the hose (helps keep in place when not in use).
- 6" long stiffener spring (springs at base of hose to help keep hose from bending).
- 3/4" NTP hose barb (acceptable with many pump brands).



**PLEASE NOTE:** NOT INTENDED FOR TRANSPORT OF FUEL IN A MOTOR VEHICLE

**SPECIFICATIONS**

Capacity..... 30 gallons	Depth..... 22 inches
Height..... 45 inches	Weight..... 90 pounds
Width..... 14 inches	

GAS CADDY W/ SELECT PUMP - ITEM 12652 S  
GAS CADDY W/ PROFESSIONAL PUMP - 12652 P



NEW TEXTURED POWDER COAT PAINT ON OUR COMBO FUEL AND TOOL LINE



A new and improved textured finish on our FT-50 & FT-30 Fuel and Tool makes this much more durable than a traditional gloss powder coat.

We chose a black wrinkle texture powder coat that looks great, masks chips and scratches and doesn't show fingerprints.





### FT-50 FUEL AND TOOL

Store your valuables under lock and key and stay on the road longer with our **FT-50 Fuel & Tool**. The fuel tank offers an anti-theft design, with all openings under locked lid. It clears fifth wheel and camper bodies. California regulations limit useage to diesel fuel only; individual states may have other requirements and/or regulations for use.

- Holds 54 gallons
- Holds 50 liquid gallons CA standards
- Auxiliary 3/4" NPT opening for gas transfer
- 2 1/4" standard gasoline filler
- 14 gauge aluminized steel
- Generous tool storage space
- Rugged safety latches



#### SPECIFICATIONS

Height	17-7/8"
Length	48"
Depth	14-1/4"
Weight	106 lbs.

### FT-30 FUEL AND TOOL

This **FT-30** is a smaller auxiliary fuel tank and will fit all full size and mid-size trucks with the exception of quad cabs. The wheel wells interfere with the positioning of the tank in these models.

- Holds 30 gallons liquid gallons
- Holds 24 gallons CA standards
- Auxiliary 3/8" NPT opening for gas transfer
- 2 1/4" standard gasoline filler
- 14 gauge aluminized steel
- Generous tool storage space
- Rugged safety latches

#### SPECIFICATIONS

Height	19-3/4"
Length	61-5/8"
Depth	20-3/4"
Weight	168 lbs.



FT-50 FUEL & TOOL - ITEM 10578 / FT-30 FUEL & TOOL - ITEM 10577

# LOUVERED TAILGATES



Custom fit for full size Chevy, GMC, Ford & Dodge pickups

Our custom Louvered Tailgates are a true form fit Louvered Tailgate. The open airfoil design cuts wind resistance for improved air flow.

Fold-over louvers made with heavy duty, durable 16 and 20 gauge steel make our tailgate stand out over the competition.

The durable black powder-coat finish can be painted to match your vehicle's color to give your truck a custom look.

- Enhanced appearance
- Contoured fit for all truck
- Reduced drag
- Improved backing visibility
- Lighter weight than factory tailgates
- Easy hitch-up to a fifth wheel or gooseneck
- Fast, easy installation
- Fifth wheel and straight models available
- Center pull on fifth wheel gates
- Latch cable pull on straight gates
- Fold-over louvers made with heavy duty, durable 16 and 20 gauge steel



Contoured for that custom fit on each tailgate model offered.

For model information, please contact your Handy Sales Representative.

## Compare the Handy Lift Models



Shown with CV-17 Cycle Vise

The **STANDARD 1000 LIFT** has a lifting capacity of 1000 lbs. and an 80" x 24" deck, making it ideal for working on motorcycles, ATVs, garden tractors and snowmobiles. Electric and CE approved models available.

AIR LIFT 1000 - ITEM # 10740  
ELECTRIC 1000 - ITEM # 10742  
AIR LIFT 1000 CE - ITEM #15679

**Available Accessories**

CV-17 Cycle Vise #14476  
12" Side Extensions # 10728  
13" Front Extension #16011  
13" Rear Extension #10736  
Snowmobile Extension #10737  
Ramp End Extension #15566  
Dolly # 10732  
Guarded Foot Pedal #16355

Capacity	1000 lbs.
Length	80"
Width	24"
Max Height	30"
Min Height	7"
Work Surface	80" x 24"
Air Source	90-110 psi
Ramp Length	20"
Weight	304 lbs.



Shown with CV-17 Cycle Vise

The **S.A.M. 1000 Lift** has a convenient drop-out panel for making tire removal easy. It is also 4" longer than our Standard Lift to accommodate longer wheel bases. Electric and CE approved models available.

S.A.M. 1000 AIR - ITEM # 16000  
S.A.M. 1000 ELECTRIC - ITEM # 16007  
S.A.M. AIR 1000 CE - ITEM # 16005

**Available Accessories**

CV-17 Cycle Vise #14476  
12" Side Extensions # 16002  
13" Front Extension #16011  
13" Rear Extension #10736  
Ramp End Extension #15566  
Dolly # 10732  
Guarded Foot Pedal #16355

Capacity	1000 lbs.
Length	84"
Width	24"
Max Height	30"
Min Height	7"
Work Surface	84" x 24"
Air Source	90-110 psi
Ramp Length	20"
Weight	330 lbs.



Shown with CV-17 Cycle Vise

The **S.A.M.<sup>2</sup> 1000 Lift** is designed to lift bikes up to 1000 lbs. This lift was developed for bike professionals who needed a longer (93") and wider (28") work surface with the convenience of double drop panels (15" x 28") for easy maintenance.

S.A.M.<sup>2</sup> 1000 AIR - ITEM # 16900

**Available Accessories**

CV-17 Cycle Vise #14476  
Four piece 10" Side & Ramp Extensions # 16904  
Guarded Foot Pedal #16355

Capacity	1000 lbs.
Length	93"
Width	28"
Max Height	35"
Min Height	7 1/2"
Work Surface	93" x 28"
Air Source	90-110 psi
Ramp Length	40"
2 Drop Leafs	15" x 28"
Weight	421 lbs.



Shown with CV-17 Cycle Vise

The **B.O.B 1500 AIR LIFT** raises to 40" and lifts 1500 pounds for the fully-dressed motorcycles and trikes. It has a drop-out for convenient tire changes. The lift is a full 7' long, with a width of 28". CE approved model available.

B.O.B 1500 AIR - ITEM # 14472  
B.O.B 1500 AIR CE - ITEM # 16013

**Available Accessories**

CV-17 Cycle Vise #14476  
12" Side Extensions # 14473  
13" Front Extensions #14474  
Trike Extensions # 14475  
Guarded Foot Pedal #16355

Capacity	1500 lbs.
Length	84"
Width	28"
Max Height	40"
Min Height	10"
Work Surface	84" x 28"
Air Source	90-110 psi
Ramp Length	31"
Weight	560 lbs.



Shown with CV-17 Cycle Vise

This **SPORT LIFT** was developed for the specialty market of lighter sport bikes, dirt bikes, street bikes and scooters and has a 750 lb. capacity. This lift has a 74" length and a 23" width top making it ideal for your home garage or shop. Includes CV-17 Cycle Vise.

SPORT LIFT - ITEM # 21000

**Available Accessories**

CV-17 Cycle Vise #14476  
Guarded Foot Pedal #16355

Capacity	750 lbs.
Length	74"
Width	23"
Max Height	39"
Min Height	7 1/2"
Work Surface	74" x 23"
Air Source	90-110 psi
Ramp Length	30"
Weight	310 lbs.



Shown with CV-17 Cycle Vise

The **HYDRAULIC ELECTRIC 1500 LIFT** raises 1500 lbs. up to 48". The self-storing rear drop-out panel is ideal for easy tire changing and the 18" front drop down gives you easy access to your bikes front wheel and fork.

HYDRAULIC LIFT - ITEM #20707

**Available Accessories**

CV-17 Cycle Vise #14476  
12" Side Extensions #20728  
Guarded Foot Pedal #16355

Capacity	1500 lbs.
Length	86-5/8"
Width	29-1/2"
Max Height	48"
Min Height	7-3/4"
Work Surface	84" x 30-1/4"
Ramp Length	17-1/2" x 36"
Power	1/2 h.p. 120 v, 60 hz. singlephase
Weight	950 lbs.



Shown with CV-17 Cycle Vise

The **GRUNTAVORE 1800 AIR LIFT** is a full 104" in length and has a width of 60", making it ideal for all models of UTVs, ATVs, garden tractors, and lawn care equipment. Lifting capacity is 1800 lbs.

GRUNTAVORE 1800 AIR  
ITEM # 16867

**Available Accessories**

Guarded Foot Pedal #16355

Capacity	1800 lbs.
Length	104"
Width	60"
Max Height	40"
Min Height	10"
Work Surface	104" x 60"
Air Source	90-110 psi
Ramp Length	31"
Weight	950 lbs.



**Shop and Truck Products  
Proudly Made in USA Since 1964**

[www.handyindustries.com](http://www.handyindustries.com)

**PH: 855-752-5446  
641-752-5446  
Fax: 641-752-1205**

402 South 2nd Ave. PO Box 1311 Marshalltown, IA 50158